# Multilayer composite

**Patent number:** BR0002904
**Publication date:** 2001-01-30
**Inventor:** SCHMITZ GUIDO; OENBRINK GEORG; BOEER MICHAEL; HAEGER RARALD; RICHTER RALF
**Applicant:** DEGUSSA (DE)
**Classification:**
**- international:** ***B32B27/34; C08G69/48; C08L77/00; C08L77/02; C08L77/06;*** **B32B27/34; C08G69/00; C08L77/00;** (IPC1-7): B32B27/00
**- european:** B32B27/34; C08G69/48; C08L77/00; C08L77/02; C08L77/06
**Application number:** BR20000002904 20000628
**Priority number(s):** DE19991029883 19990629; DE20001005641 20000209

**Also published as:**
EP1065048 (A2)
US6355358 (B1)
JP2001071436 (A)
EP1065048 (A3)
DE10005641 (A1)

more >>

**Report a data error here**

Abstract not available for BR0002904
Abstract of corresponding document: **US6355358**

A thermoplastic multilayer composite, and articles made therefrom, which has at least one layer I of a thermoplastic molding composition, at least one layer II of a further thermoplastic molding composition, bonded together with at least one layer of an adhesion promoter disposed between at least one layer I and at least one layer II. The adhesion promoter is at least 5% by weight of a graft copolymer prepared from 0.5 to 25% by weight, based on the total amount of graft copolymer, of a polyamine having at least 4 nitrogen atoms and having a number average molecular weight Mn of at least 146 g/mol, and polyamide-forming monomers selected from lactams, omega-aminocarboxylic acids, equimolar mixtures of diamines and dicarboxylic acids, and their mixtures.

---

Data supplied from the ***esp@cenet*** database - Worldwide